






REV.	DATE	BY	REVISION								
A	1-25-92	MH	INC. ECN #92-0059 REVISED & REPLOTED								
REV.	ECN #	REV.	ECN #	REV.	ECN #	REV.	ECN #	REV.	ECN #	REV.	ECN #



A	C	P
X	X	-
PART NO. 647C032XXXX		

4	031-049-XX1	14	CONTACT
3	031-049-XX2	18	CONTACT
2	009-199-X06	1	BASE
1	009-229-X04	1	LID

LEGEND	ITEM	PART NUMBER	QTY	DESCRIPTION
◇	CRITICAL	THIS DOCUMENT CONTAINS PROPRIETARY DESIGNS, SPECIFICATIONS, DATA, INFORMATION AND TECHNICAL MATERIAL THAT ARE THE SOLE PROPERTY OF WELLS ELECTRONIC, INC. THIS INFORMATION IS TO BE HELD AND TREATED BY ITS RECIPIENT ON A CONFIDENTIAL BASIS, AND IS NOT TO BE SHOWN OR DISCLOSED TO THIRD PARTIES WITHOUT THE WRITTEN CONSENT OF WELLS ELECTRONICS, INC. THIS DATA DOES NOT CONVEY MANUFACTURING RIGHTS TO ANY ITEM SHOWN.		
△	MAJOR	MATERIAL	DRAWN	DATE
ALL OTHERS	MINOR	FINISH	CHECKED	DATE
LAST NUMBER USED WAS : 5		DO NOT SCALE	PROJ. ENG.	DATE
NUMBERS IN CRITICAL & MAJOR DIMENSIONS ARE RANDOMLY PLACED AND HAVE NO SPECIFIC ORDER IN THE WAY THAT THEY HAVE BEEN NUMBERED.		TOLERANCES .XX ±.01(±0.25) .XXX ±.005(±0.13) .XXXX ----- ANGLE ±1°	CHIEF ENG.	DATE
PART NO. 647C032XXXX		QUALITY	MFG. ENG.	DATE
			T.L.	DATE
				DATE
				DATE

- 5. SOCKETS ACCEPT PACKAGES THAT MEET JEDEC SPECIFICATION MO-052 AE WITH LIMITATIONS SHOWN IN DETAIL A.
  - 4. DIMENSIONS MUST BE SYMMETRICAL TO DATUM A OR B WITHIN 0.003(0.08).  
[  $\oplus .003(0.08) \text{ } \textcircled{A}$  ] OR [  $\oplus .003(0.08) \text{ } \textcircled{B}$  ]
  - 3. SOCKET MUST MEET REQUIREMENTS OF WELLS ELEC. ENGINEERING SPEC. ES-P-647.
  - 2. AFTER ASS'Y CONTACT TAILS MUST MEET POSITIONAL TOL. PER PIN GAGE T-0356.  $\textcircled{3}$
  - 1. (XX.XX) DENOTES METRIC DIM'S IN MILLIMETERS.
- NOTES: UNLESS OTHERWISE SPECIFIED

**WE** WELLS ELECTRONICS  
SOUTH BEND, INDIANA

PART NAME  
32 LD. SOCKET FOR (LIVE  
BUG) RECTANGULAR P.L.C.C.

PART NO.  
**647C032XXXX**

SCALE  
4X

CAD DWG NO.  
647C032

SHEET  
SOCKASSY

REV.  
A